

## 2.4 / 5 GHz Bands



Rhea	
Frequency	2.4/5.8 GHz
VSWR	<2:1
Gain	2 dBi
Dimensions	50x16mm
Connectivity	Various incl. MMCX, UFL, GSC

CPW	
Frequency	2.4-2.5 / 4.9-6.0 GHz
VSWR	<2:1
Gain	3 dBi
Dimensions	102x33mm (dxh)
Connectivity	Various incl. SMA, RP-SMA



BT-Blade	
Frequency	2.4/5.2 GHz
VSWR	<2:1
Gain	2 dBi
Dimensions	75x19mm
Connectivity	Various incl. MMCX, SMA, RP-SMA

## RF Cables



M2MAC-MR-XX-SFP	
Connector 1	MMCX RA
Connector 2	SMA Female Bulkhead
Cable	RG - 174
Lengths	100/150/200mm
Applications	GSM, Cellular, WLAN Frequencies

M2MAC-UF-XX-SFP	
Connector 1	U.FL
Connector 2	SMA Female Bulkhead
Cable	1.13 Micro Coax
Lengths	100/150/200mm
Applications	GSM, Cellular, WLAN Frequencies



M2MAC-MCF-XX-SFP	
Connector 1	MCF (GSC Compatible)
Connector 2	SMA Female Bulkhead
Cable	1.13 Micro Coax
Lengths	100/200mm
Applications	GSM, Cellular, WLAN Frequencies

Delivering  
Antenna Innovation

[www.ead-ltd.com](http://www.ead-ltd.com)

**Embedded Antenna Design Ltd**  
5 Little Balmer  
Buckingham Industrial Estate  
Buckingham, MK18 1TF UK

**Tel:** +44 (0)1280 824055  
**Fax:** +44 (0)1280 817179  
**Email:** [sales@ead-ltd.com](mailto:sales@ead-ltd.com)  
**Web:** [www.ead-ltd.com](http://www.ead-ltd.com)

**EAD**  
embedded antenna design ltd

The **EAD** Pocket Guide  
innovative multiband antenna solutions



**EAD**  
embedded antenna design ltd

## ISM UHF Bands



Morava	
Frequency	868 MHz / 915 MHz
VSWR	<2:1
Gain	1dBi
Dimensions	81x21mm
Connectivity	Various incl. MMCX, UFL, SMA

MW868	
Frequency	868 MHz / 915 MHz
VSWR	<2:1
Bandwidth	10% @ centre frequency
Dimensions	84x14.5mm
Connectivity	SMA-Male (others on request)



MH433	
Frequency	433 MHz
VSWR	<2:1
Bandwidth	8% @ centre frequency
Dimensions	75x14.5mm
Connectivity	SMA-Male (others on request)

## GSM/Cellular/3G



Quintus	
Frequency	824-960/1710-2170 MHz
VSWR	<2:1
Gain	2 dBi
Dimensions	81x21mm
Connectivity	Various incl: MMCX UFL GSC

MiniQuad	
Frequency	850/900/1800/1900 MHz
VSWR	<2.5:1
Gain	0 dBi
Dimensions	44x8mm
Connectivity	Various incl: MMCX UFL GSC



Targan	
Frequency	900/1800 MHz or 850/1900 MHz
VSWR	<2:1
Gain	1 dBi
Dimensions	54x8mm
Connectivity	SMA-Male RA or straight

## GSM/Cellular/3G



S-Blade	
Frequency	850/900/1800/1900 MHz
VSWR	<2:1
Gain	1.5-2 dBi
Dimensions	115x24mm
Connectivity	Various incl. MMCX SMA FME

TBR2100	
Frequency	900/1800/2100 MHz
VSWR	<2:1
Bandwidth	2 dBi
Dimensions	140x13mm
Connectivity	SMA-Male




CPO	
Frequency	900/1800/1900/2100 MHz
VSWR	<2.5:1
Gain	2-3 dBi
Dimensions	102x 33mm (dxh)
Connectivity	Various incl. SMA, FME

## 2.4/5 GHz Bands



BT-Stubby	
Frequency	2.4 GHz
VSWR	<2:1
Gain	0 dBi
Dimensions	32x8mm
Connectivity	SMA-Male or RP-SMA

BKR2400	
Frequency	2.4 GHz
VSWR	<2:1
Gain	2 dBi
Dimensions	138x13mm
Connectivity	SMA-Male or RP-SMA



Acara	
Frequency	2.5/5.2 GHz
VSWR	<2:1
Gain	2.2 dBi
Dimensions	66x16mm
Connectivity	Various incl. MMCX, UFL, GSC