

# TBR2100

## GSM/3G Dipole Antenna

### Features

- ◆ Groundplane Independent
- ◆ Covers 900/1800 and 2100 MHz bands
- ◆ Locks in three positions for flexibility
- ◆ Ideal for fixed and mobile terminals

### Specifications

Radiating element	1/2 Wave Element
Frequency range	900/1800/2100 MHz
Peak gain	2.0 dBi
Polarisation	Linear
Return loss	-7 dB
Power rating	10W
Connector	SMA-Male RA
Dimensions	138 x 13mm

### Popular Ordering Options

FTBR35107-SM-KR	TBR2100 with SMA-Male connector
FTBR35107-TNM-KR	TBR2100 with TNC-Male connector

Specifications subject to change without notice.



5 Little Balmer  
Buckingham Industrial Park  
Buckingham  
MK18 1TF  
UK

Tel: +44 (0)1280 824055  
Fax: +44 (0)1280 817179  
Email: [sales@ead-ltd.com](mailto:sales@ead-ltd.com)  
Web: [www.ead-ltd.com](http://www.ead-ltd.com)

**EAD**   
embedded antenna design ltd  
*Delivering Antenna Innovation*

## TBR2100| Tri Band GSM/3G Dipole Antenna

### Return Loss



Specifications subject to change without notice.

5 Little Balmer  
Buckingham Industrial Park  
Buckingham  
MK18 1TF  
UK

Tel: +44 (0)1280 824055  
Fax: +44 (0)1280 817179  
Email: sales@ead-ltd.com  
Web: www.ead-ltd.com