



WR433

433 MHz Stubby Antenna

Features

- ◆ Groundplane Dependent
- ◆ Covers 433 MHz band
- ◆ SMA-Male Right Angle Connector
- ◆ Ideal for fixed and mobile terminals

Specifications

Radiating element	1/4 Wave Element
Frequency range	433 MHz
Peak gain	TBC
Polarisation	Linear
Return loss	-14 dB
Power rating	10W
Connector	SMA-Male Straight
Dimensions	54 x 8mm (plus connector)

Popular Ordering Options

FWR435130-SM-RA	WR433 with SMA-Male ST connector
-----------------	----------------------------------


Specifications subject to change without notice.

5 Little Balmer
Buckingham Industrial Park
Buckingham
MK18 1TF
UK


Tel: +44 (0)1280 824055
Fax: +44 (0)1280 817179
Email: sales@ead-ltd.com
Web: www.ead-ltd.com

WR433 | 433 MHz Stubby Antenna

Return Loss



Outline Drawing



Specifications subject to change without notice.

5 Little Balmer
Buckingham Industrial Park
Buckingham
MK18 1TF
UK

Tel: +44 (0)1280 824055
Fax: +44 (0)1280 817179
Email: sales@ead-ltd.com
Web: www.ead-ltd.com